

THERE ARE HEAT PRESSES AND THEN THERE'S

HOTRONIX®

STAHL'S
Hotronix®

PRODUCT CATALOG

PROUDLY MADE IN THE USA

Born from the specific requirements of heat transfer materials, Hotronix® has been taking the guesswork out of heat applying since the 1980s. Now stronger and more advanced than ever, Hotronix® continues to engineer and produce the world's best-selling heat presses and accessories.

Proudly made in the USA, Hotronix® looks into the future of heat press innovation in an ever-changing industry to help your business become an efficient, profit-generating machine.

STAHL'S
Hotronix®



INDUSTRY
INNOVATORS



BLUE RIBBON
CUSTOMER SERVICE





More Than a Heat Press 4-5

360 IQ® Hat Heat Press 6

Power Platen™ 7

Hotronix® Heat Presses 8-11

Dual Air Fusion IQ® 8

Air Fusion IQ® 9

Table Top Air Fusion IQ® 9

Fusion IQ® 9

SPRINT® MAG Clam 10

SPRINT® MAG Cap 10

Sports Ball Heat Press 10

The MAXX® Clam 11

The MAXX® Cap 11

Accessories 12-13

Laser Alignment System 12

Heat Press Caddie™ Stand 12

Heat Press Caddie™ Shelves 12

STAHL'S' EZ Weeding™ Table 13

Heat Printing Equipment Cart 13

Platens 14-15


The Right Platen for Your Heat Press 14

Quick Change Platens 15

Interchangeable Cap Platens 15

Platen Covers 15

Contact 16



TECHNOLOGY
DRIVEN



MADE
IN THE USA



MORE THAN A HEAT PRESS

Every Hotronix® FUSION® comes equipped with the new FUSION IQ® control board that features advanced wireless technology, letting you interact with your heat press anywhere at any time with the web-based portal. This line of technologically advanced presses provides your business with insights into job and operator performance, allowing you to make proactive, data-driven changes in real time.



HOW DID THE WORLD'S BEST-SELLING HEAT PRESS GET EVEN BETTER?



By Adding Wireless Technology You Can
Manage Your Business From Anywhere.

TRACK HEAT PRESS USAGE

Make sure you're getting the most out of your heat press. Track how much time your heat press is working vs. sitting idle.

DISCOVER THE PRODUCTIVITY OF EACH HEAT PRESS

Access real-time reporting and adjust your production capacity as needed.

TRACK THE PERFORMANCE OF EACH EMPLOYEE

Gain inside into the way your employees work, if there are any application issues. Manage permissions for accurate application without added supervision.

FOLLOW TOTAL IMPRESSIONS

The Fusion IQ® measures every preheat and every heat application so you stay up-to-date on the number of times your heat presses were engaged.

UTILIZE PRESET APPLICATIONS FOR POPULAR ITEMS

Eliminate mistakes with factory-installed presets, or create your own to accurately apply the types of transfers and films your customers are ordering.

SET UP EXCEPTIONS

See how many times an operator went outside a preset application. Avoid production missteps to maintain the quality and durability of your products.

INTRODUCING THE 360 IQ[®] HAT PRESS

HIGH PROFIT, HIGH IMPACT HATS. ONE MACHINE.

Successfully print on all sides of a hat without removing it from the press. The one-size-fits-all molded platen eliminates crease lines, and a heated lower platen makes it the perfect solution for applying emblems, appliqué, and patches. Best of all, it comes equipped with advanced IQ[®] technology allowing you to track your business in real time.

FEATURES & BENEFITS

UPPER & LOWER HEAT

Heat from the lower platen makes application of transfers easy with dependable, quality results.

360° PRINTING

Print the front, back, and sides without removing the hat from the platen. No need to change platens with the one-size-fits-all platen. More Placements = More Profit.

NO HEAT PRESS CREASE

The uniquely designed molded lower platen forms to the shape of any hat, eliminating the heat press crease on decorated hats.

NO SCORCHING

Control the upper and lower platens independently. Reduce heat from the upper platen to protect the hat.

360 IQ[®] HAT HEAT PRESS

Shipping:

240 volt • 5 amps / 800 watts

Net weight: 19,5 kg

Gross weight: 23,5 kg

66 cm L x 38 cm W x 64 cm H

Art.-Nr. 163694



HOTRONIX®

POWER PLATEN

THE POWER TO ELIMINATE SCORCHING — FOR GOOD.

The Power Platen™ applies heat directly beneath the transfer for a quicker bond between adhesive and fabric, applying less heat to the face of heat-sensitive garments. Compatible with 40 x 50 cm Hotronix® Auto Clam, MAXX® Clam, and Air Fusion IQ® heat presses*, the Power Platen™ is available in four interchangeable sizes, each with a built-in pillow for the right fit, no matter what you're decorating.

FEATURES & BENEFITS

THREADABLE™

Makes heat press fully Threadable when used with a Heat Press Caddie™ Stand.

LIGHTWEIGHT

Weighs 40% less than the Heated Lower Platen for easy maneuvering around your shop.

MULTIPLE SIZES

Do more with your heat press with four platen sizes to ensure a great press on whatever you're decorating.

BUILT-IN PILLOWS

Quickly get a solid pressure when applying over zippers, buttons, or seams.

COOL TO TOUCH

Insulating properties keep bottom of platen cool-to-the-touch while concentrating heat to the required area.

Requires a dedicated 20-amp circuit



CONTROLLER

240 Volt • 3,2 Amps / 750 watts
Shipping:
2,3 kg • 26 cm L x 22 cm W x 21 cm H
Art.-Nr. 163534

40 x 50 cm

240 Volt • 3,2 Amps / 750 Watts
Shipping:
12 kg • 42 cm L x 52 cm W x 12 cm H
Art.-Nr. 163530

28 x 38 cm

240 Volt • 1,6 Amps / 390 Watts
Shipping:
5,9 kg • 28 cm L x 38 cm W x 12 cm H
Art.-Nr. 163531

15 x 15 cm

240 Volt • 0,4 Amps / 88 Watts
Shipping:
2,7 kg • 16 cm L x 16 cm W x 12 cm H
Art.-Nr. 163533

15 x 51 cm

240 Volt • 1,1 Amps / 275 Watts
Shipping:
5,4 kg • 16 cm L x 53 cm W x 12 cm H
Art.-Nr. 163532

POWER PLATEN™ SET (Includes Controller)

Shipping:
28 kg • 66 cm L x 50 cm W x 35 cm H
Art.-Nr. 163570

*Not compatible with Hotronix® Fusion IQ® or draw presses. One or more patent and/or patents pending.

HOTRONIX® HEAT PRESSES

DUAL AIR FUSION IQ®

PRODUCTIVITY OPTIMIZED

Built for ultimate heat printing efficiency, the Dual Air Fusion IQ® provides the functionality of two presses with dual 40 x 50 cm workstations. Program the press to preheat on station A and complete final application on station B, automatically adjusting time and pressure as it shuttles between workstations. It's a smooth, quiet, and effortless operation controlled by the push of a button and tap of the foot pedal. Simply power on and choose between dual or independent operation.

The Dual Air Fusion IQ® also comes standard with a Laser Alignment System, assuring your job is on target every time. The laser system seamlessly integrates into each workstation and is controlled entirely through the touch screen.

DUAL AIR FUSION IQ® (2) 40 X 50 CM QUICK-CHANGE SYSTEM

240 Volt • 15 Amps / 3500 Watts

Shipping:

115 cm L x 115 cm W x 86 cm H

Net weight: 120 kg

Gross weight: 200 kg

Art.-Nr. 162908

*Requires air compressor (not included)
with minimum 1 horsepower and 5-gallon
hold tank. Uses 3.8 CFM.*



AIR FUSION IQ®

AIR POWERED FOR EFFORTLESS OPERATION

The Air Fusion IQ® offers a two-button operation which locks the upper platen down, applying accurate, even pressure, then automatically swings open to create a heat-free workspace. Patented Auto Adjust Pressure™ automatically adjusts to the thickness of the item you're printing. Program your time to change from preheating to final application. With up to four time and pressure settings, it's not just possible — it's automatic.

AIR FUSION IQ® 40 X 50 CM

240 Volt • 15 Amps / 3500 Watts

Shipping: 121 cm L x 102 cm W x 154 cm H

Net weight: 115 kg

Gross weight: 125 kg

Art.-Nr. 142082

Requires air compressor (not included) with minimum 1/2 horsepower and 2.5-gallon hold tank. Uses 2.3 CFM.



TABLE TOP AIR FUSION IQ®

SPACE-SAVING TABLETOP DESIGN

Take everything you love about our Fusion IQ®, add the power of an air compressor, the compact size of a tabletop heat press, and you have the Table Top Air Fusion IQ®. With an upper platen that operates with the touch of a button, operator fatigue is a thing of the past.

TABLE TOP AIR FUSION IQ® 40 X 50 CM

240 Volt • 15 Amps / 3500 Watts

Shipping: 95 cm L x 63 cm W x 68 cm H

Net weight: 72 kg

Gross weight: 82 kg

Art.-Nr. 125303

Requires air compressor (not included) with minimum 1/2 horsepower and 2.5-gallon hold tank. Uses 2.3 CFM.



FUSION IQ®

#1-SELLING HEAT PRESS WORLDWIDE

In the decorating business, it's all about customization, and that's what we had in mind when we engineered the Fusion IQ®. Switch between the draw and swing motions depending on workspace, user preference, or garment. Touch screen technology allows you to program an unlimited number of presets. Add the compatibility of optional Quick Change Platens, and you'll be decorating more than ever.

FUSION IQ® 40 x 50 cm

240 Volt • 15 Amps / 3500 Watts

Shipping: 90 cm L x 57 cm W x 60 cm H

Net weight: 60 kg

Gross weight: 65 kg

Art.-Nr. 013651



SPRINT® MAG DIGITAL FAMILY

The Sprint®Mag Digital Series allows you to prepare the next textile during the pressing process with its patented, automatically opening magnetic release - so you never lose time again!
The Twin Timer is ideal for 2-step presses or for pre-pressing textiles.

SPRINT® MAG 28 X 38 CM

The 28 x 38 cm Auto Open Clam is perfect for shops with limited space. This lightweight, compact design is also a great choice for heat printing at off-site events.

28 x 38 cm Quick Change lower platen

28 x 38 cm

240 Volt • 4,5 Amps / 1000 Watts

Shipping: 90 cm L x 63 cm W x 53 cm H

Net weight: 28 kg

Gross weight: 33 kg

Art.-Nr. 013645



SPRINT® MAG 40 X 40 CM

The 40 x 40 cm Auto Open Clam is a popular choice and favored by many shops that print full-size transfers.

40 x 40 cm Quick Change lower platen

40 x 40 cm

240 Volt • 7,5 Amps / 1800 Watts

Shipping: 90 cm L x 63 cm W x 53 cm H

Net weight: 34 kg

Gross weight: 39 kg

Art.-Nr. 013646



SPRINT® MAG 40 X 50 CM

This best-selling full-size clam's large surface accommodates the application of names and numbers on jerseys, all-over sublimation prints, and oversized transfers. Compatible with nearly every optional Quick Change Platen, it's the most versatile heat press available.

40 x 50 cm Quick Change lower platen

40 x 50 cm

240 Volt • 7,5 Amps / 1800 Watts

Shipping: 90 cm L x 63 cm W x 53 cm H

Net weight: 40 kg

Gross weight: 45 kg

Art.-Nr. 013647



ALSO AVAILABLE IN A HOVER MODEL.

Order the SPRINT® MAG Clam as a Hover Press™, which is designed for curing inks during the DTG decorating process. Switch from Hover to Auto Open mode as needed.

Hover Press™

240 Volt • 7,5 Amps / 1800 Watts

Shipping: 90 cm L x 63 cm W x 53 cm H

Net weight: 40 kg

Gross weight: 45 kg

Art.-Nr. 013648

SPRINT® MAG XS

If you're heat printing small items or limited areas of apparel, here's the perfect press. Lightweight and portable, it's ideal for small decorating jobs in the craft market or other mobile heat printing opportunities.

15 x 15 cm

240 V, 360 W, 1,5 Amps

Shipping: 64 cm L x 38 cm W x 53 cm H

Net weight: 12 kg

Gross weight: 16 kg

Art.-Nr. 010938



SPRINT® MAG CAP

Decorate with the reliability and accuracy of our SPRINT® MAG Cap press. A cap hold-down device pulls the front of the cap taut, securing it while providing a smooth surface for heat application. Decorate a variety of cap styles with four optional Quick Change Platenes.

SPRINT® MAG Cap

240 V, 500 W, 2 Amps
Shipping: 64 cm L x 38 cm W x 53 cm H
Net weight: 13,5 kg
Gross weight: 16 kg
Art.-Nr. 013649
9 x 16 cm Quick Change lower platen



SPORTS BALL HEAT PRESS

The Sports Ball Press is designed to easily customize or personalize inflatable sports balls. Balls can be customized for use as trophies, to commemorate a special event, or as a promotional giveaway.

SPORTS BALL HEAT PRESS

240 V, 360 W, 1,5 Amps
Shipping: 65 cm L x 37 cm W x 69 cm H
Net weight: 22 kg
Gross weight: 25 kg
Art.-Nr. 163082



THE MAXX® CLAM

The MAXX® is the best-selling low-cost heat press. Trust these budget-friendly machines to outperform every press in their class. Whether you're just getting into heat printing, heat printing part time, or need a back-up press, these durable machines are the perfect partner.

28 x 38 cm

240 Volt • 4,5 Amps / 1000 Watts
Shipping: 90 cm L x 63 cm W x 53 cm H
Net weight: 28 kg
Gross weight: 33 kg
Art.-Nr. 110876
28 x 38 cm Quick Change lower platen

38 x 38 cm

240 Volt • 7,5 Amps / 1800 Watts
Shipping: 90 cm L x 63 cm W x 53 cm H
Net weight: 31 kg
Gross weight: 36 kg
Art.-Nr. 013657
38 x 38 cm Quick Change lower platen

40 x 50 cm

240 Volt • 7,5 Amps / 1800 Watts
Shipping: 90 cm L x 63 cm W x 53 cm H
Net weight: 40 kg
Gross weight: 45 kg
Art.-Nr. 013658
40 x 50 cm Quick Change lower platen



THE MAXX® CAP

This manually operated clamshell design is economical and easy to operate. The MAXX® Cap offers a digital time and temperature display, and a cap hold-down device keeps caps securely in place during heat printing.

THE MAXX® CAP

240 Volt • 2 Amps / 500 Watts
Shipping: 64 cm L x 38 cm W x 53 cm H
Net weight: 13,5 kg
Gross weight: 16 kg
Art.-Nr. 013659



HEAT PRESS ACCESSORIES

STAND ALONE LASER ALIGNMENT SYSTEM

For fast, accurate, and precise placement, choose the Hotronix® Heat Press Laser Alignment System. This tabletop unit features four adjustable lasers and is compatible with any brand of heat press. Included is the Laser Alignment Wizard™, a heavy-duty, spiral-bound template with five popular layouts. Simply align each bulb to the guides for accurate positioning.

Shipping: 56 cm L x 34 cm W x 19 cm H
Net weight: 3 kg
Gross weight: 6 kg
Art.-Nr. N-KIT 3-1298



HEAT PRESS CADDIE™ STAND

The Heat Press Caddie™ Stand is an adjustable pedestal stand that converts any Hotronix® SPRINT® MAG or MAXX® Clam into a threadable heat press. Self-leveling casters provide portability and stability, allowing you to take advantage of mobile heat printing opportunities.

Shipping: 84 cm L x 84 cm W x 29 cm H
Net weight: 27 kg
Gross weight: 30 kg
Art.-Nr. 125187 Stand

Shipping: 60 cm L x 35 cm W x 18 cm H
Net weight: 10,5 kg
Gross weight: 12 kg
Art.-Nr. 1-2410 Counter Caddie



Also available in a countertop version.

HEAT PRESS CADDIE™ SHELVES

Designed to easily attach to your Hotronix® Heat Press Caddie™ or Air Fusion IQ® pedestal stand, these sturdy, adjustable shelves keep your heat transfer products, blanks, and accessories within reach. Both trays can be rotated in either landscape or portrait position, offering you convenience and flexibility.

Shipping: 51 cm L x 37 cm W x 17 cm H

Net weight: 10 kg

Gross weight: 11,4 kg

Art.-Nr. 140027



STAHL'S EZ WEEDING™ TABLE

The bond between a heat transfer material and its carrier lessens when heated. This patented table heats materials slightly to promote removal from the carrier, resulting in easier weeding with less material breakage.

- 51 cm x 91 cm weeding area — a full yard of weeding production
- Three temperature settings — 43 °C to 54 °C for fine-detailed designs, up to 60 °C for maximum productivity on larger jobs
- Top clamp holds materials in place while weeding
- Built-in storage compartment
- Fits most production tables and countertops

Shipping: 109 cm L x 81 cm W x 20 cm H

Net weight: 14 kg

Gross weight: 18 kg

Art.-Nr. 163072



HEAT PRINTING EQUIPMENT CART

Add more counter space to your shop with this heavy-duty steel cart.

Designed to hold the Dual Air Fusion IQ®, it can also be used with other heat presses, small vinyl cutters, printers, and more. Pivoting wheels allow for easy movement around shops or at events, and lock to ensure stability.

- Powder-coated, scratch-resistant, heavy-duty steel
- Holds up to 270 kg.
- Adjustable height, from 43 cm to 89 cm
- Lockable, pivoting wheels

Shipping: 97 cm L x 62 cm W x 45 cm H

Net weight: 62 kg

Gross weight: 67 kg

Art.-Nr. 162776



GRIP COVER SHEET

A wax coated cover sheet, produces a slight matt finish when you reprint your heat transfer. Each sheet can be reused many times, not suitable for use with sublimation.

Dimensions approx.
38 x 48 cm,
1 PKG - 25 PCS
Art.-Nr. 013685



GRIP RUBBER MAT

High quality silicone cloth that absorbs heat very well. Ideal for printing transfers on shoes. It produces a slightly textured finish. (Attention: reduces the application heat up to 20 °C, please take note of this when printing.)

Dimensions approx.
46 x 56 cm
Art.-Nr. 162216



NON-STICK COATED COVER SHEET

Ideal to use when printing on sublimated Polyester. Very robust non-stick coated cover sheet, any dirt can be easily removed. Results in a slightly shiny finish with a delicate texture to the surface.

Dimensions approx.
46 x 49 cm
Art.-Nr. 013683



NON STICK COATED PRESSURE PAD

For uniform distribution of pressure, when applying over items such as buttons, zippers etc. and for applying close to V-Necks. The pads are 2 cm thick and contain inner foam. The outer pillow is made from a non-stick material.


approx. 13 x 46 cm	Art.-Nr. 013678
approx. 16 x 20 cm	Art.-Nr. 013679
approx. 25 x 25 cm	Art.-Nr. 013680
approx. 51 x 41 cm	Art.-Nr. 013681
Best Value – SET of 4	Art.-Nr. 013682



PRINT PERFECT PAD

While heat printing pillows allow the zippers and seams to depress into the pillow, print perfect pads actually raise the printing area to work around these elements. They are also the recommended accessory for screen printed or digital transfers because they maintain even pressure.

approx. 20 x 25 cm	Art.-Nr. 162122
approx. 13 x 15 cm	Art.-Nr. 162121
approx. 9 x 40 cm	Art.-Nr. 162120



LED PIN, LED WEEDER UND TWEEZERS

Pin and Weeder have an ergonomic grip for comfortable holding. The handle is made from high quality, sturdy plastic to reduce the weight. The light-up LED on the tip provides excellent lighting for easier weeding. LED Pin with straight metal tip, LED Weeder with hook. The tweezers with their fine, curved tip completes the set.

LED Pin	Art.-Nr. 163398
LED Weeder	Art.-Nr. 163399
Tweezers	Art.-Nr. 163400
Set	Art.-Nr. 163401



EZ WEEDER

This handy tool lets you easily weed CAD-CUT® and CAD-COLOR® graphics. Art.-Nr. 013695



FOAM COVER PAD

This approx. 10 cm x 20 cm pad helps when heat applying dimensional emblems and patches with a heat press. The thicker the emblem, the thicker the pad you use.

0,3 cm thickness	Art.-Nr. 163846
0,6 cm thickness	Art.-Nr. 163847
0,9 cm thickness	Art.-Nr. 163848



THERMAL TAPE

This heat resistant tape holds your transfer in place before and during the printing process. It has been engineered to ensure that the transfer remains correctly positioned on the garment for application and is ideal for printing on caps.

Each roll is 1 cm wide by 66 m long and heat resistant up to 205 °C.

Art.-Nr. 013688



THERMAL TAPE DISPENSER

The matching dispenser for the thermo tape makes working a pleasure.

The rubber feet underneath the sturdy design make it easier to tear off pieces of the appropriate size.

Art.-Nr. 013689



SQUEEGEE

A squeegee is a straight-edged, rubber tool that is used to eliminate wrinkles and air bubbles when applying Magic Mask®, to ensure an even application.

Art.-Nr. 013696



HEAT ERASER

The perfect tool to clean the upper and lower platen. (heat resistant)

Ideal to cool down your transfers faster before removing the carrier.

Art.-Nr. 013691



HEAT PLATEN CLEANER

This tool removes leftovers and staining from textiles and heat transfer vinyls from your upper and lower platen.

Art.-Nr. 013690



COMPRESSOR BLACK PANTHER P100-24 AL

The compressor is quiet as a whisper and necessary while using an Air Fusion® or a Dual Air Fusion®.

- Connection: 230 V / 50 Hz
- Enginge output: 0,7 KW
- Air suction line: 100 L / min
- Air power output: 74 L / min
- Printing performance: max. 8 bar
- Container volume: 24 L
- Sound emission: 42 dB(A) / 1m
- Shipping: 80 cm x 39 cm x 67 cm
- Net weight: 49 kg; gross weight: 52 kg
- Art.-Nr. 162849




COMPRESSOR SIL AIR 50/24

The compressor is quiet as a whisper and necessary while using an Air Fusion®.

- Connection: 230V / 50 Hz
- Enginge output: 0,34 KW
- Air suction line: 50 L / min
- Air power output: 37 L / min
- Printing performance: max. 8 bar
- Container volume: 24 L
- Sound emission: 40 dB(A) / 1m
- Shipping: 49 cm x 46 cm x 57 cm
- Net weight: 27,5 kg; gross weight: 31,5 kg
- Art.-Nr. 013660



THE RIGHT PLATEN FOR YOUR HEAT PRESS



	10x10 cm	ø 18 cm	15x25 cm	20x25 cm	28x38 cm	Hat Bill	Shoe	Can cooler	Sleeve/ Leg	Double Sleeve/Leg
DUAL AIR FUSION IQ®	●	●	●	●	●	●	●	●	●	●
AIR FUSION IQ®	●	●	●	●	●	●	●	●	●	●
FUSION IQ®	●	●	●	●	●	●	●	●	●	●
SPRINT® MAG (40 x 50 cm)	●	●	●	●	●	●	●	●	●	●
SPRINT® MAG (40 x 40 cm)	●	●	●	●	●	●	●		●	
SPRINT® MAG (28 x 38 cm)	●	●	●	●	●		●			
MAXX® (40 x 50 cm)	●	●	●	●	●	●	●	●	●	●
MAXX® (38 x 38 cm)	●	●	●	●	●	●	●			
MAXX® (28 x 38 cm)	●	●	●	●	●		●			

Compatible with above transfer presses from year of manufacture 2015.

QUICK CHANGE PLATENS

Use interchangeable platens to decorate a wide variety of apparel and accessories. Platens are compatible with Hotronix® and MAXX® brand presses.

ø 18 cm round	Art.-Nr.	PL7R
10 x 10 cm	Art.-Nr.	PL4x4
15 x 25 cm	Art.-Nr.	PL6x10
20 x 25 cm	Art.-Nr.	PL8x10
28 x 38 cm	Art.-Nr.	PL11x15
Hat Bill	Art.-Nr.	PLHBILL
Shoe	Art.-Nr.	PLSHOE
Can Cooler	Art.-Nr.	PLCAN
Sleeve/Leg	Art.-Nr.	PLLS
Double Sleeve/Leg	Art.-Nr.	PLDLS



TAG ALONG™ PLATEN

Tag Along™ HP Platen allows you to thread your garment onto the platen and apply a full front and tagless label in one simple step. Compatible with all 40 x 50 cm Hotronix® presses.



INTERCHANGEABLE CAP PLATENS

Interchangeable cap platens make decorating hats easy. Whether you have a low-profile or oversized hat, we have a platen that fits. For heat press machines purchased prior to 2012, visit stahls.de.

6 x 8 cm	- for baby caps	Art.-Nr.	PLCAP2x3
9 x 16 cm	- for standard caps	Art.-Nr.	PLCAP3x6
7 x 16 cm	- for low-profile caps	Art.-Nr.	PLCAP2x6
7,5 x 14,5 cm	- for lower-crown caps	Art.-Nr.	PLCAP3x5
10 x 16 cm	- for full-crown ball caps	Art.-Nr.	PLCAP4x6
10 x 22 cm	- for oversized caps	Art.-Nr.	PLCAP4x8



PLATEN COVERS

QUICK SLIP LOWER PLATEN PROTECTOR - Fits tightly over your lower platen and makes it easy to pull the fabric over it by reducing friction between the fabric and the rubber mat. Protects your lower platen from stains.

15 x 25 cm	Art.-Nr.	N-1-2375
20 x 25 cm	Art.-Nr.	N-1-2374
28 x 38 cm	Art.-Nr.	013677
38 x 38 cm	Art.-Nr.	013674
40 x 40 cm	Art.-Nr.	013675
40 x 50 cm	Art.-Nr.	013676
15 x 51 cm Sleeve/Leg	Art.-Nr.	N-1-2378



UPPER PLATEN COVER - Protection for your heat platen. Easy to clean and does not absorb sublimation colour.

Upper Platen Cover 40 x 50 cm	Art.-Nr.	125288
-------------------------------	----------	--------





CONTACT US

STAHL'S' EUROPE GMBH

Dieselstraße 62
66763 Dillingen
Germany

Web
stahls.de

STAHL'S'
EUROPE • AFRICA • MID EAST

STAHL.S.DE | +49 (0) 68 31/97 33 0



Proudly Made in the USA

Hotronix® is a registered trademark of Stahls' Inc. with numerous patents / patents pending. ©Stahls' Inc. 2021



STAHL'S[®]
EUROPE • AFRICA • MID EAST

Dieselstraße 62
D-66763 Dillingen

Phone: +49 (0) 68 31 / 97 33 0
Fax: +49 (9) 68 31 / 97 33 45
E-mail: info@stahls.de